

PREMIUM PEROXIDE II SANITIZER

Powerful No-Rinse Sanitizer

DESCRIPTION	<p>PREMIUM PEROXIDE II SANITIZER uses the powerful combination of peroxyacetic acid and hydrogen peroxide to provide effective broad spectrum germicidal action as low as 40°F. It is designed for use in circulation cleaning and industrial sanitizing of tanks, pipelines, evaporators, fillers, pasteurizers, and aseptic equipment. This non-foaming, no-rinse formula can be used over a broad range of temperatures and pH without being corrosive to stainless steel. PREMIUM PEROXIDE II SANITIZER is EPA Registered for sanitizing non-porous food contact surfaces and FDA Approved as an indirect food additive. When used as directed it will not impact color, taste, or odor of your product and is environmentally friendly, ultimately breaking down to water, oxygen and carbon.</p>
DIRECTIONS	<p>PREMIUM PEROXIDE II SANITIZER is used for circulation, immersion and spray methods. No rinse is required after use.</p> <p>Procedure: After removing gross particulate matter with a warm water flush and washing equipment with detergent or cleaning solution, fill closed systems with diluted sanitizer solution. Allow surfaces to drain thoroughly before resuming operation.</p> <p>Concentration: 1 to 2 oz. to 6 gallons of potable water. (This will provide 100 ppm to 200 ppm peroxyacetic acid and 375 ppm to 700 ppm hydrogen peroxide.)</p> <p>Temperature: 40° to 104°F (5° to 40°C).</p> <p>Cleaning Time: 1 minute.</p>
SAFETY INFORMATION	<p>UTILIZE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT AS PER MSDS. HANDLE AND STORE AS INDICATED ON PRODUCT LABEL.</p> <p><u>IF ON SKIN:</u> In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothes before reusing.</p> <p><u>IF IN EYES:</u> In case of contact, immediately flush with plenty of water for at least 15 minutes, lifting the upper and lower eyelid intermittently. Get immediate medical attention.</p> <p><u>IF SWALLOWED:</u> Rinse mouth with water and drink large quantities of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get immediate medical attention.</p> <p><u>IF INHALED:</u> Immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Get immediate medical attention.</p> <p>Consult your Material Safety Data Sheet for additional safety information.</p>